

A decision aid for

Implantable Cardioverter-Defibrillators (ICD) For patients with heart failure considering an ICD who are at risk

For patients with heart failure considering an ICD who are at risk for sudden cardiac death (primary prevention).

What is an ICD?

An ICD is a small device that is placed under the skin of the chest. Wires (called "leads") connect the ICD to the heart. An ICD is designed to prevent an at-risk person from dying suddenly from a dangerous heart rhythm. When it senses a dangerous heart rhythm, an ICD gives the heart an electrical shock. It does this in order to get the heart to beat normally. An ICD is different than a pacemaker. A pacemaker helps the heart beat but does not give a shock like an ICD.


My doctor has asked me to consider an ICD. Why?

Due to your heart failure, you are at higher risk for developing a dangerous heart rhythm. A dangerous heart rhythm can cause you to die within minutes if not treated.

This is an important decision. While the future is always unpredictable, there is an important trade-off to consider when deciding whether to get an ICD. Consider two possible paths:

Path 1


You may choose to get an ICD. You may be feeling like you usually do, then a dangerous heart rhythm could happen. The ICD may help you live longer by treating a dangerous heart rhythm. You will continue to live with heart failure that may get worse over time.




"I'm not ready to die. I have so much I'm trying to stay alive for. Even if it means getting shocked, I'm willing to do anything that can help me live longer."

Path 2

You may choose to NOT get an ICD. You may be feeling like you usually do, and then a dangerous heart rhythm could happen. You may die quickly from the dangerous heart rhythm. This can happen at any time.



"I've lived a good life. The idea of dying quickly sounds like a painless way to go. I've always said I hope to die in my sleep. Going through surgery and getting shocked is not the kind of thing I want."



Can the ICD be turned off?

Yes. It is possible to turn off the ICD without surgery. This is even recommended when a person is close to dying of another cause. It is possible to keep the pacemaker turned on. Talk about this with your doctor.

What are the risks of getting an ICD?

Problems do occur:

- 4 out of every 100 patients will experience some bleeding after surgery.
- 2 out of every 100 patients will have a serious problem like damage to the lung or heart.
- About 1 out of every 100 patients will develop an infection.
- Some patients develop anxiety or depression from being shocked.

Why would I want to turn off the ICD?

In the future, people may reach a point where living as long as possible is not what they want anymore. This could be because of worsening heart failure or another illness. When this happens, the ICD can be turned off to avoid shocks.



Over 5 years, about 20 out of every 100 patients get shocked by their ICDs.
About 80 out of every 100 will not get shocked. Most shocks happen because of dangerous heart rhythms but some happen when they are not needed.





Copyright © 2017 by The Regents of the University of Colorado on behalf of its employees: Daniel D Matlock MD MPH; Paul Varosy MD; Fred Masoudi MD, MSPH; Pilar Ingle MSW; Christopher Knoepke PhD,MSW; Bryan Wallace; Kenneth Pierce. Funding by the National Institutes on Aging (K23AG040696) and the Patient-Centered Outcomes Research Institute (Pl000116-01). Conflicts of Interest: All Developers - None. Last Update 10/24/17. Some rights reserved. No part of this publication may be used in any commercial development or effort without the express prior written permission of the publisher. No part of this publication may

be used in any derivative work without first obtaining permission from the publisher and providing acknowledgement thereof. University of Colorado hereby disclaims all liability associated with the use or adoption of the information provided herein. User shall remain liable for any damages resulting from his reliance on this information. The content is solely the responsibility of the authors and does not necessarily represent the official views of funding agencies (NIH, PCORI) or medical centers. The material provided on this infographic is intended for informational purposes only and is not provided as medical advice. Any individual should consult with his or her own physician before determining whether an ICD is right for him or her. This work is licensed under a Creative Commons Attribution, Non-Commercial, No-Derivatives 4.0 International License